

**IMPLEMENT TYRES**



Flotation Implement TRC-3

Size	Ply	Tyre Application	O.D.(mm)	S.W.(mm)	TT/TL	Rim
550/45-22.5	16	Flotation Implement	1070	550	TL	16.00x22.5
500/60-22.5	16	Flotation Implement	1170	500	TL	16.00x22.5
550/60-22.5	16	Flotation Implement	1238	550	TL	16.00x22.5
600/50-22.5	16	Flotation Implement	1170	600	TL	20.00x22.5
600/55-22.5	16	Flotation Implement	1238	600	TL	20.00x22.5
600/55-26.5	16	Flotation Implement	1333	600	TL	20.00x22.5
700/55-22.5	16	Flotation Implement	1238	700	TL	24.00x22.5
700/40-22.5	16	Flotation Implement	1170	700	TL	24.00x22.5
700/50-26.5	16	Flotation Implement	1333	700	TL	24.00x22.5
800/45-26.5	16	Flotation Implement	1343	800	TL	28.00x22.5

Rims in Yellow are available. Tyres in Red are under development in 2009



Traction Implement TRC-02

Size	Ply	Tyre Application	O.D.(mm)	S.W.(mm)	TT/TL	Rim
400/60-15.5	14	Traction Implement	910	400	TL	13.00x15.5

Rims in Yellow are available.



Farm Implement IMP-04

Size	Ply	Tyre Application	O.D.(mm)	S.W.(mm)	TT/TL	Rim
400/60-15.5	14 / 16	Farm Implement IMP-04	910	400	TL	13.00x15.5

Rims in Yellow are available.

IMPLEMENT TYRES



Size	Ply	Tyre Application	O.D.(mm)	S.W.(mm)	TT/TL	Rim
13.0/55-16	12	Farm Implement IMP-03	774	328	TL	11.00x16
15.0/55-17	10/14	Farm Implement IMP-03	850	391	TL	13.00x17
19.0/45-17	10/14	Farm Implement IMP-03	865	453	TL	16.00x17
500/50-17	10/14	Farm Implement IMP-03	935	500	TL	16.00x17
13.0/65-18	16	Farm Implement IMP-03	908	336	TL	11.00x18

Rims in Yellow are available. Tyres in Red are under development in 2009

Farm Implement IMP-03



Size	Ply	Tyre Application	O.D.(mm)	S.W.(mm)	TT/TL	Rim
7.00-12	6	Farm Implement IMP-01	26.26	7.87	TL	5.50Fx12
10.0/80-12	8/10	Farm Implement IMP-01	28.3	10.65	TL	9.00x12
10.0/75-15.3	8/10/12/14/16/18	Farm Implement IMP-01	30	10.40	TL	9.00x15.3
11.5/80-15.3	10/12/14/16/18	Farm Implement IMP-01	33.4	11.50	TL	9.00x15.3
12.5/80-15.3	14/16	Farm Implement IMP-01	35	12.30	TL	9.00x15.3
10.5/80-18	10	Farm Implement IMP-01	35.71	10.79	TL	9.00x18
12.5/80-18	12/14	Farm Implement IMP-01	38.86	12.13	TL	9.00x18
13.0/65-18	12/14/16	Farm Implement IMP-01	35.9	13.22	TL	11.00x18
400/60-15.5	14/16	Farm Implement IMP-01	34.7	16.30	TL	13.00x15.5

Rims in Yellow are available.

Farm Implement IMP-01



Size	Ply	Tyre Application	O.D.(mm)	S.W.(mm)	TT/TL	Rim
10.5/65-16	10/14	Farm Implement IMP-02	29.72	10.78	TL	9.00x16
10.0/75-15.3	12	Farm Implement IMP-02	30	10.40	TL	9.00x15.3
11.5/80-15.3	14	Farm Implement IMP-02	33.4	11.50	TL	9.00x15.3
12.5/80-15.3	14	Farm Implement IMP-02	35	12.10	TL	9.00x15.3
400/60-15.5	14/16	Farm Implement IMP-02	34.7	16.30	TL	13.00x15.5
500/60-22.5	16	Farm Implement IMP-02	46.14	19.80	TL	16.00x15.5
550/60-22.5	16	Farm Implement IMP-02	48.5	21.14	TL	16.00x15.5

Rims in Yellow are available.

Farm Implement IMP-02

IMPLEMENT TYRES



Farm tyre ZR-07

Size	Ply	Tyre Application	O.D.(mm)	S.W.(mm)	TT/TL	Rim
4.50-19	4	Farm tyre ZR-07	29	4.80	TL	3.00Dx19
6.00-16	8	Farm tyre ZR-07	28.90	6.55	TL	4.50Ex16
6.50-16	8	Farm tyre ZR-07	29.58	7.40	TL	4.50Ex16
7.50-16	8	Farm tyre ZR-07	31.55	8.32	TL	5.50Fx16
250/80-18	8	Farm tyre ZR-07	34.10	9.84	TL	9.00x18
280/70-16	8	Farm tyre ZR-07	31.21	11.10	TL	8.00x16
280/70-18	8	Farm tyre ZR-07	33.40	11.10	TL	9.00x18
10.5/80-18	10	Farm tyre ZR-07	35.71	10.79	TL	9.00x18
12.0/75-18	12	Farm tyre ZR-07	37	11.77	TL	9.00x18
12.5/80-18	12/14	Farm tyre ZR-07	38.86	12.13	TL	9.00x18

Rims in Yellow are available.



Farm Implement I-1

Size	Ply	Tyre Application	O.D.(mm)	S.W.(mm)	TT/TL	Rim
9.5L-14	8	Farm Implement I-1	29.10	9.50	TL	7.00x14
11L-14	8	Farm Implement I-1	29.40	11.00	TL	8.00x14
5.90-15	4	Farm Implement I-1	26.10	5.90	TL	4.50x15
6.70-15	8	Farm Implement I-1	27.60	6.70	TL	4.50x15
7.60-15	8	Farm Implement I-1	28.70	7.60	TL	5.50-15
9.5L-15	6/8/12	Farm Implement I-1	30.20	9.50	TL	7.00x15
10-15	8	Farm Implement I-1	30.00	10.00	TL	8LBx15
11L-15	6/8/12	Farm Implement I-1	30.70	11.00	TL	8LBx15
11L-16	8	Farm Implement I-1	31.40	11.00	TL	8LBx16
12.5L-15	6/8/12	Farm Implement I-1	32.40	12.50	TL	10LBx15
14L-16.1	10	Farm Implement I-1	37.00	14.00	TL	11LBx15
16.5L-16.1	12	Farm Implement I-1	40.50	16.50	TL	11LBx15

Rims in Yellow are available.

IMPLEMENT TYRES



Farm tyre ZR-07

Size	Ply	Tyre Application	O.D.(mm)	S.W.(mm)	TT/TL	Rim
5.50-17	6	R-1	29.53	5.43	TT	4.00Ex17
6.00-12	6	R-1	25.2	6.5	TT	4.50Ex12
6.00-16	6/8	R-1	28.9	6.5	TT	4.50Ex16
6.50-16	6/8	R-1	29.9	6.9	TT	5.00Fx16
7.50-16	6/8	R-1	31.70	8.10	TT	5.50Fx16
6.50-20	6/8	R-1	34.10	6.90	TT	4.50Ex20
7.50-20	6/8	R-1	35.62	8.00	TT	5.50Fx20
8.3-20	6/8	R-1	35.23	8.30	TT	W7x20
9.5-20	6/8	R-1	37.40	9.50	TT	W8x20
8.3-24	6/8	R-1	39.00	8.30	TT	W7x24
9.5-24	6/8	R-1	41.26	9.50	TT	W8x24
10-15	8/10	R-1	30.00	10.00	TT	8LBx15
10.0/75-15.3	10/12/14	R-1	30.00	10.00	TT/TL	9.00x15.3
11.5/80-15.3	10/12/14	R-1	33.60	11.41	TT/TL	9.00x15.3
11.2-20	6/8	R-1	39.57	11.20	TT	W10x20
11-38	6/8	R-1	60.63	12.00	TT	W10x38
12-38	6/8/12	R-1	62.00	13.00	TT	W11x38
11.2-24	6/8/12	R-1	43.34	11.20	TT	W10x24
11.2-28	6/8/12	R-1	47.24	11.20	TT	W10x28
12.4-24	6/8/12	R-1	45.32	12.40	TT	W11x24
12.4-28	6/8/12	R-1	49.72	12.40	TT	W11x28
13.6-24	6/8/12	R-1	47.32	13.60	TT	W12x24
13.6-28	6/8/12	R-1	51.62	13.60	TT	W12x28
13.6-38	6/8/12	R-1	61.62	13.60	TT	W12x38
14.9-24	6/8/12	R-1	49.52	14.90	TT	W13x24
14.9-28	6/8/12	R-1	53.52	14.90	TT	W13x28

IMPLEMENT TYRES



Farm tyre ZR-07

Size	Ply	Tyre Application	O.D.(mm)	S.W.(mm)	TT/TL	Rim
15-24	10	R-1	52.36	15.00	TT	W14x24
15.5-38	6/8/10	R-1	61.96	15.50	TT	W14x38
15.5/80-24	12/14	R-1	49.68	15.50	TL	W13x24
16.9-24	6/8/10/12	R-1	52.10	16.90	TT	W15x24
16.9-28	6/8/10/12	R-1	56.10	16.90	TT	W15x28
16.9-30	8	R-1	58.78	16.90	TT	W15x30
	14	R-1	58.78	16.90	TL	W15x30
16.9-34	6/8/10/12	R-1	62.40	16.90	TT	W15x34
16.9-38	6/8/10/12	R-1	66.48	16.90	TT	W15x38
405/70-20(16.0/70-20)	8/10/12/14	R-1	42.32	16.00	TT/TL	13.00-20/1.0
405/70-24(16.0/70-24)	8/10/12/14	R-1	46.45	16.00	TT/TL	13.00-24/1.5
18.4-26	6/8/10/12	R-1	57.09	17.40	TT	DW16x26
18.4-30	6/8/10/12	R-1	61.40	18.40	TT	W16x30
18.4-34	6/8/10/12	R-1	65.00	18.40	TT	W16x34
18.4-38	6/8/10/12	R-1	69.30	18.40	TT	W16x38
18.4-42	6/8/10/12/14	R-1	73.11	18.40	TT	W16Lx42
20.8-38	6/8/10/12/14	R-1	72.20	20.80	TT	W18x38
23.1-26	10/12/14/16	R-1	61.40	23.10	TT/TL	DW20x26
54x68x20		R-1	55.50	67.52	TL	
11.2-24	6	R-1/Irrigation	43.34	11.20	TT/TL	W10x24
14.9-24	6	R-1/Irrigation	49.52	14.90	TT/TL	W13x24
	8	R-1/Irrigation	49.52	14.90	TT/TL	W13x24
11.2-38	4/6	R-1/Irrigation	57.44	11.20	TT/TL	W10x28

Rims in Yellow are available.

IMPLEMENT TYRES



Size	Ply	Tyre Application	O.D.(mm)	S.W.(mm)	TT/TL	Rim
5.50-17	6	R-2	31.42	5.43	TT	4.00Ex17
6.00-12	6	R-2	27.17	6.50	TT	4.50Ex12
6.50-16	6	R-2	31.89	6.90	TT	5.00Fx16
7.50-16	6	R-2	35.23	8.10	TT	5.50Fx16
8.3-20	6	R-2	37.40	8.30	TT	W7x20
8.3-24	6	R-2	41.33	8.30	TT	W7x24
9.5-24	6	R-2	45.27	9.50	TT	W8x24
11.2-24	6	R-2	47.44	11.20	TL	W10x24
11-32	6	R-2	58.66	11.00	TT	W10x32
12.4/11-28	6	R-2	51.77	12.40	TT	W11x28
12.4-26	6	R-2	49.80	12.40	TT	W11x26
1200-18	10/12	R-2	42.91	12.00	TL	W9-18
13.6-38	8/10	R-2	67.32	13.60	TT	W12x38
14.9-30	8/10	R-2	58.86	14.90	TT	W13x30
16.9-34	8/10	R-2	65.74	16.90	TT	W15x34
19.5L-24	8/10	R-2	52.95	19.50	TT	W17x24
23.1-26	8/10/12/16	R-2	65.35	23.10	TT	DW20x26
28L-26	14	R-2	63.58	28.00	TT	DW25x26
23X10-10TL	4	R-2	23.00	10.00	TL	8.00I

Rims in Yellow are available.

Size	Ply	Tyre Application	O.D.(mm)	S.W.(mm)	TT/TL	Rim
4.00-8	4	Tractor Front F-2	21.04	4.30	TT	3.00Dx8
4.00-12	4	Tractor Front F-2	21.04	4.30	TT/TL	3.00Dx12
4.00-14	4	Tractor Front F-2	21.06	4.30	TT	3.00Dx14
4.00-16	4/6	Tractor Front F-2	23.22	4.30	TT	3.00Dx16
4.00-19	4	Tractor Front F-2	28.25	4.40	TT/TL	3.00Dx19
6.00-19	6	Tractor Front F-2	32.00	6.50	TT/TL	4.50Ex19

IMPLEMENT TYRES



Tractor Front F-2/F-2M



Agricultural Trailer F-3

5.00-15	6	Tractor Front F-2	26.00	5.10	TT/TL	4.00Jx15
5.50-16	6/8	Tractor Front F-2	28	5.9	TT/TL	4.00Ex16
6.00-16	6/8	Tractor Front F-2	28.9	6.5	TT/TL	4.50Ex16
6.50-16	6/8	Tractor Front F-2	29.9	6.9	TT/TL	4.50Ex16
7.50-16	6/8	Tractor Front F-2	31.7	8.1	TT/TL	5.50Fx16
7.50-18	8	Tractor Front F-2	33.60	8.00	TT/TL	5.50Fx18
9.00-16	8/10	Tractor Front F-2	33.66	9.21	TT/TL	6.00Fx16
10.00-16	8/10	Tractor Front F-2	35.10	10.70	TT/TL	W8x16
11.00-16	8/10	Tractor Front F-2	37.98	12.60	TT/TL	W10x16
6.50-20	6/8	Tractor Front F-2	34.1	6.9	TT	5.00Fx20
7.50-20	6/8	Tractor Front F-2	35.60	8.00	TT/TL	5.50Fx20
7.5L-15	8	Tractor Front F-2	29.16	8.10	TT/TL	6.00-15
9.5L-15	8	Tractor Front F-2	30.70	9.60	TT/TL	7.00-15
11L-15	8	Tractor Front F-2	31.90	10.89	TT/TL	8.00-15
7.50-18	8	Tractor Front F-2	33.60	8.00	TT/TL	5.50Fx18
6.50-20	6/8	Tractor Front F-2	34.1	6.9	TT	5.00Fx20
10.00-16	8	Tractor Front F-2M	35.10	10.70	TT/TL	W8x16
11.00-16	8	Tractor Front F-2M	37.98	12.60	TT/TL	W10x16

Rims in Yellow are available.

Size	Ply	Tyre Application	O.D.(mm)	S.W.(mm)	TT/TL	Rim
11L-15	8/10/12/14	Agricultural Trailer F-3	32	11.00	TL	8LBx15
11L-16	8/10/12/14	Agricultural Trailer F-3	33.00	11.00	TL	8LBx16

Rims in Yellow are available.

IMPLEMENT TYRES



Multi Purpose MPT-01  
MP600

Size	Ply	Tyre Application	O.D.(mm)	S.W.(mm)	TT/TL	Rim
405/70-20(16.0/70-20)	14	Multi Purpose MPT-01	1100	405	TL	20-13.00/1.0
405/70-24(16.0/70-24)	14	Multi Purpose MPT-01	1100	415	TL	24-13.00/1.5
12.5-18	10	Multi Purpose MPT-03	990	325	TL	11.00-18
10.5-20	10	Multi Purpose MPT-03	960	270	TL	9.00-20
12.5-20	12	Multi Purpose MPT-03	1050	325	TL	11.00-20
14.5-20	14	Multi Purpose MPT-03	1095	355	TL	11.00-20

Rims in Yellow are available.



Multi Purpose MPT-02  
MP567

Size	Ply	Tyre Application	O.D.(mm)	S.W.(mm)	TT/TL	Rim
405/70-20(16.0/70-20)	14	Multi Purpose MPT-02	1100	405	TL	20-13.00/1.0
405/70-24(16.0/70-24)	14	Multi Purpose MPT-02	1100	415	TL	24-13.00/1.5
10.5-18	8/10	Multi Purpose MPT-02	910	270	TL	9.00x18
12.5-18	10/12/16	Multi Purpose MPT-02	990	325	TL	11.00x18
18-19.5	16	Multi Purpose MPT-02	1080	455	TL	14.00x19.5
11.5/80-15.3	14	Multi Purpose MPT-02	848	292	TL	9.00X15.3

Rims in Yellow are available. Tyres in Red are under development in 2009



Multi Purpose MPT-03  
MP570

Size	Ply	Tyre Application	O.D.(mm)	S.W.(mm)	TT/TL	Rim
8.25-20	14	Multi Purpose MPT-03	970	232	TT	6.50-20
9.00-20	14	Multi Purpose MPT-03	1012	256	TT	7.00-20
10.00-20	16	Multi Purpose MPT-03	1050	282	TT	7.50-20
11.00-20	16	Multi Purpose MPT-03	1100	305	TT	8.00-20
12.5-18	10	Multi Purpose MPT-03	990	325	TL	11.00-18
10.5-20	10	Multi Purpose MPT-03	960	270	TL	9.00-20
12.5-20	12	Multi Purpose MPT-03	1050	325	TL	11.00-20
14.5-20	14	Multi Purpose MPT-03	1095	355	TL	11.00-20
405/70-20(16.0/70-20)	14	Multi Purpose MPT-03	1085	396	TL	20-13.00/1.0
405/70-24(16.0/70-24)	14	Multi Purpose MPT-03	1180	400	TL	24-13.00/1.5

Rims in Yellow are available. Tyres in Red are under development in 2009